



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[java and "environmental variables"]**

Found **8** of **113,497** searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 8 of 8 short listing

1 Intrusion detection: Constructing attack scenarios through correlation of intrusion alerts 77%



Peng Ning , Yun Cui , Douglas S. Reeves

Proceedings of the 9th ACM conference on Computer and communications security November 2002

Traditional intrusion detection systems (IDSs) focus on low-level attacks or anomalies, and raise alerts independently, though there may be logical connections between them. In situations where there are intensive intrusions, not only will actual alerts be mixed with false alerts, but the amount of alerts will also become unmanageable. As a result, it is difficult for human users or intrusion response systems to understand the alerts and take appropriate actions. This paper presents a practical ...

2 Infosphere project: system support for information flow applications 77%



Calton Pu , Karsten Schwan , Jonathan Walpole

ACM SIGMOD Record March 2001

Volume 30 Issue 1

We describe the Infosphere project, which is building the systems software support for information-driven applications such as digital libraries and electronic commerce. The main technical contribution is the Infopipe abstraction to support information flow with quality of service. Using building blocks such as program specialization, software feedback, domain-specific languages, and personalized information filtering, the Infopipe software generates code and manages resources to provide the spe ...

3 Hint-based cooperative caching 77%



Prasenjit Sarkar , John H. Hartman

ACM Transactions on Computer Systems (TOCS) November 2000

Volume 18 Issue 4

This article presents the design, implementation, and measurement of a hint-based cooperative caching file system. Hints allow clients to make decisions based on local state, enabling a loosely coordinated system that is simple to implement. The resulting performance is comparable to that of existing tightly coordinated algorithms that use global state, but with less overhead. Simulations show that the block access times of our system are as good as those of the existing algorithms, while r ...

4 Analysis of an intermediary's strategies in electronic markets for decision 77%

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print Format

Your search matched **1** of **951805** documents.

A maximum of **1** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Resource sharing for replicated synchronous groupware

Begole, J.; Smith, R.B.; Struble, C.A.; Shaffer, C.A.;

Networking, IEEE/ACM Transactions on , Volume: 9 Issue: 6 , Dec. 2001

Page(s): 833 -843

[\[Abstract\]](#) [\[PDF Full-Text \(343 KB\)\]](#) **IEEE JNL**

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)

Searched the web for **getenvironmentvariable java**.

Results **1 - 10** of about **196**. Search took **0.16** seconds.

: Class NINativeWin

... Method Summary. **java.lang.String**, **getEnvironmentVariable(java.lang.String name)**. ... public

java.lang.String **getEnvironmentVariable(java.lang.String name)** ...

developer.novell.com/ndk/doc/nis/nis__enu/api/com/novell/ application/install/windows/NINativeWin.html - 34k - [Cached](#) - [Similar pages](#)

Java 911, MIND, June 1998

... first parameter (lpRootPathName) will be translated from a **Java** string to ... function that returns a string by reference (for example, **GetEnvironmentVariable**)? ...

msdn.microsoft.com/isapi/gomscom.asp?TARGET=/ mind/0698/java9110698.asp - 30k - Jul 10, 2003 - [Cached](#) - [Similar pages](#)

Win32PlatformFunction (Coroutine for Java Reference)

... public static **java.lang.String** **GetEnvironmentVariable(java.lang.String env)** throws

java.lang.SecurityException Answers the value of the specified variable from ...

www.nevaobject.com/_docs/_coroutine/api/ com/neva/Win32PlatformFunction.html - 38k - [Cached](#) - [Similar pages](#)

Coroutine for Java

... Here is **Java** code that invokes the CreateEvent API: ... Here is an example that invokes **GetEnvironmentVariable** API with the following prototype: ...

Description: Provides the mechanism for **Java** classes to call external functions located in Win32 DLLs without having...

Category: [Computers](#) > [Programming](#) > ... > [Platform Specific](#) > [Windows](#)

www.nevaobject.com/_docs/_coroutine/coroutine.htm - 92k - [Cached](#) - [Similar pages](#)

www.developer2.com/storiesresource/2002/03/28/j2cs.txt

... using System.Collections; ///<summary> ///Sample for **Java** to C# ... getProperty("user.dir"); System.Environment.**GetEnvironmentVariable**("user ...

10k - [Cached](#) - [Similar pages](#)

Java Programming: How to access environment variable from java ...

... solution, something like this: String path=System.Utils.**getEnvironmentVariable**("PATH");

or ... variable value when you startup the JVM: **java** -Dmyenv=\$MYENV myclass. ...

www.experts-exchange.com/jsp/Programming/Programming_Languages/ Java/Q_20287287.html - 27k - [Cached](#) - [Similar pages](#)

Anlage R Object-Pascal-Programm zum Aufruf des JAVA-Interpreters

... bufferRM,255); RM:=StrPas(bufferRM); buflen:=**GetEnvironmentVariable**('QUERY_STRING',bufferQS,255);

QS:=StrPas(bufferQS); s:='java -DREQUEST_METHOD='+RM+ ...

www.ba-bautzen.de/stdplan/arbeit/Anlage17.htm - 2k - [Cached](#) - [Similar pages](#)

J/DIRECT

... Program 2 zzz.**java** public class zzz { public static void main(String s[]) { StringBuffer

a = new StringBuffer(512); **GetEnvironmentVariable**("PATH",a,513); System ...

www.vijaymukhi.com/vmis/jdirect.htm - 17k - [Cached](#) - [Similar pages](#)

Java-COM Digest - 3 Sep 1999 to 4 Sep 1999 (#1999-365)

... I also tested a couple of other Win32 calls: **GetEnvironmentVariable**() and GetCurrentThreadId ...

discuss.microsoft.com/archives/index.html

End of **Java-COM** Digest ...

www.faqchest.com/msdn/JCOM/jcom-99/ jcom-9909/jcom99090506_16409.html - [Similar pages](#)

Java-COM Digest - 31 Aug 1999 to 1 Sep 1999 (#1999-362)

... perhaps sun] mailing list for more generic, everyday **java** questions ... I also tested

a couple of other Win32 calls: **GetEnvironmentVariable**() and GetCurrentThreadId ...

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)

[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for **java \".ini file\"**.

Results **1 - 10** of about **31,800**. Search took **0.08** seconds.

[Geocrawler.com - advanced-java - INI FILE IN APPLET](#)

... is = new **java.io.DataInputStream**(new **java.io.BufferedInputStream**(new **java.net.URL** ... 29, 1999 5:56 PM > To: <EMAIL: PROTECTED> > Subject: **INI FILE IN APPLET** ...

[www.geocrawler.com/archives/3/196/1999/11/0/2930308/](#) - 15k - [Cached](#) - [Similar pages](#)

[Browscap.ini & More... Gary Keith's Website \(Downloads\)](#)

... PHP. PHP can use browscap.ini as its browser capabilities database. Currently they recommend using my browscap.**ini file** with their releases. ... **JAVA**. ...

[www.garykeith.com/browsers/downloads.asp](#) - 8k - [Cached](#) - [Similar pages](#)

[How can I read an .INI file in Java?](#)

How can I read an **.INI file** in **Java**? ... How can I read an **.INI file** in **Java**? One solution is to use Steve DeGroof's IniFile class. ...

[java.enigmastation.com/Q918](#) - 6k - [Cached](#) - [Similar pages](#)

[How can I read an .INI file in Java?](#)

How can I read an **.INI file** in **Java**? (printable version). One solution is to use Steve DeGroof's IniFile class. It might be a little unwieldy, though. ...

[java.enigmastation.com/Q918?printable=true](#) - 3k - [Cached](#) - [Similar pages](#)

[[More results from java.enigmastation.com](#)]

[Use an INI file \(properties\) - Real's Java How-to](#)

Jump to Real's How-to Main page Use an **INI file** (properties). [**INI file** : user.ini]

DBuser=anonymous DBpassword=&8djsx DBlocation=bigone. [**JAVA code**] ...

[www.rgagnon.com/javadetails/java-0024.html](#) - 4k - [Cached](#) - [Similar pages](#)

[Bebbo's famous Java packages: Class IniFile](#)

... getSections. public **java.util.Vector** getSections(**java.lang.String** path)

Get all sections for the given **ini file**, matching the path. ...

[www.bebbosoft.de/api/de/bb/util/IniFile.html](#) - 15k - [Cached](#) - [Similar pages](#)

[[[

... With PHP installed with **Java** support, locate your php.**ini file** (usually in /usr/local/lib in UNIX based systems) with a text editor and search for the section ...

[www.zend.com/zend/spotlight/java-in-php.php](#) - 37k - Jul 10, 2003 - [Cached](#) - [Similar pages](#)

[JARS Automatic Resource Listing](#)

... gamelan.com. javascripts.com. JARS Automatic Resource Listing Category: Programming

- Widgets Language: **Java**. **.ini File** Reader (MY1-1) This is a **.ini file** reader. ...

[www.jars.com/classes/jresout.cgi?resource=6118](#) - 19k - Jul 10, 2003 - [Cached](#) - [Similar pages](#)

[Java Shopping Cart Setup Documentation](#)

... decrypt each order with the **Java** Shopping Cart Decrypt utility program (JSCD). Every character string used by JSC Deluxe is stored in the JSCStrings.**ini file**. ...

[www.vssd.com/jsc_doc.htm](#) - 24k - [Cached](#) - [Similar pages](#)

[Visual Studio Magazine - Remove a Key From an INI File](#)

Search: All. Locator+ Code: ... Remove a Key From an **INI File** by Irina Segalevich.

June 2003 Issue. Technology ...

[www.fawcette.com/vsm/2003_06/online/hottips/segal/](#) - 48k - Jul 10, 2003 - [Cached](#) - [Similar pages](#)

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)

("environment variables" OR "enviro

Google Search

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)

Searched the web for ("environment variables" OR "environmental variables") "set command" java (jni OR jdirect). Result:

[PDF] JRun Samples GuideFile Format: PDF/Adobe Acrobat - [View as HTML](#)... **Java**, JavaBeans, JavaServer, JavaServer Pages, JSP, JavaScript, JavaSoft, JavaBeans, JDK, Enterprise **Java** Beans, EJB, RMI, **JNI**, JNDI, JDBC, and Solaris are ...www.macromedia.com/v1/documents/jr31/samples.pdf - [Similar pages](#)

Sponsored Links


Set at eBay.comSign up to bid or just browse.
Millions of items online. affiliatewww.eBay.com

Interest:

[See your message here...](#)**[PDF] JavaTM 2 Platform**File Format: PDF/Adobe Acrobat - [View as HTML](#)... **Java** Native InterfaceTM (**JNI**) Enhancements For more information on **JNI**, see <http://java.sun.com/products/jdk/1.2/docs/guide/jni/index.html>access1.sun.com/SRDs/srd_repository/J2SE12_oview.pdf - [Similar pages](#)[[More results from access1.sun.com](#)]**[PDF] Parlay Business Integration Server Manual**File Format: PDF/Adobe Acrobat - [View as HTML](#)... a Parlay JDBC Driver From **Java** Applications.....6-12 ... 9-5Sending an EDA **SET Command** to an ...www.eunitech.co.kr/manuals/parlay/Parlay_Business_Integration_Server_Manual_Version_3.pdf - [Similar pages](#)**Properties file : WOW!!!**... Another person said that **Java** properties are the ... as Unix or NT system **environment variables**: > From: Sreedharamurthy K ... what you set by "**set**" **command** in Windows ...<https://lists.xcf.berkeley.edu/lists/advanced-java/2000-April/008646.html> - 9k - [Cached](#) - [Similar pages](#)**[PDF] Support Readiness Document Java 2 Standard Edition 1.3 Overview**File Format: PDF/Adobe Acrobat - [View as HTML](#)Sun Microsystems, Inc. Market Development & Developer Relations Support Readiness Education Support Readiness Document **Java** 2 Standard Edition 1.3 Overview ...colocall.net/~bor/docs/IBMJava2-13/J2SE13.Overview.pdf - [Similar pages](#)**Customization and Administration**... the MQSeries Workflow for z/OS **environment variables** file CustHLQ ... the link list dynamically using the **set command**, you can ... from where you call the **Java** program. ...www-3.ibm.com/software/integration/mqfamily/library/manualsa/fmca1/fmca1m11.htm - 101k - [Cached](#) - [Similar pages](#)**[PDF] JavaTM 2 Platform**File Format: PDF/Adobe Acrobat - [View as HTML](#)... **Java** Native InterfaceTM (**JNI**) Enhancements ?For more information on **JNI**, see <http://java.sun.com/products/jdk/1.2/docs/guide/jni/index.html>news.hubu.edu.cn/bluesky/soft/Docs/J2SE12_oview.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 17 already displayed.

If you like, you can repeat the search with the omitted results included.

Result Page: [Previous](#) 1 2

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)Searched the web for "**cmd/c set**" java.Results **1 - 10** of about **13**. Search took **0.57** seconds.

Java Programming: How to access environment variable from java ...

... for nothing. Not thanks, saurav17 you can use Runtime.getRuntime().exec("**cmd /c set**")! ... environment

variable value when you startup the JVM: **java -Dmyenv=\$MYENV** ...

www.experts-exchange.com/jsp/Programming/Programming_Languages/Java/Q_20287287.html - 27k

- [Cached](#) - [Similar pages](#)

Sponsored Links

Set at eBay.com

Sign up to bid or just browse.

Millions of items online. affiliate

www.eBay.com

Interest:

[See your message here...](#)

Sun Developer Network - Forums

... If, for example, I run "**cmd /c set HOME=C:**" (1st command), I want to be able ... **Java** maintains an own notion of environment differing from the one provided by the ...

forum.java.sun.com/thread.jsp?forum=31&thread=282595 - 42k - [Cached](#) - [Similar pages](#)

Ant 1.5a

... 209, }. 210, } catch (java.io.IOException exc) { . 211, 0, exc.printStackTrace();. ... 220,

// Not sure. 221, 0, String[] cmd = {"**cmd**", "**/c**", "**set**" };. 222, 0, return cmd;. ...

www.thecortex.net/clover/eg/ant/report/org/apache/tools/ant/taskdefs/Execute.html - 101k - [Cached](#) - [Similar pages](#)

Ant Coverage

... 208, }. 209, } catch (java.io.IOException exc) { . 210, 0, exc.printStackTrace();. ... 219,

0, String[] cmd = {"**cmd**", "**/c**", "**set**" };. 220, 0, return cmd;. ...

codefeed.com/clover/report-current/org/apache/tools/ant/taskdefs/Execute.html - 101k - [Cached](#) - [Similar pages](#)

ASPEN : Mailing List Archive

... try: ! p = **java.lang.Runtime.getRuntime().exec(shellCmd, env)** ! ... 312,318 **** if

osType == "nt": return _ShellEnv(["**cmd**", "**/c**", "**set**", string.upper) elif ...

aspen.activestate.com/ASPEN/Mail/Message/Jython-dev/914669 - 36k - [Cached](#) - [Similar pages](#)

Re: [Java lista] kornyezeti valtozok

... import **java.io.***; import **java.util.***; public class GetEnv { public ... try { envVars.load(Runtime.getRuntime().exec("**cmd /c set**").getInputStream()); } catch ...

javasite.bme.hu/javalist/100092.html - 2k - [Cached](#) - [Similar pages](#)

Java开发者(www.chinajavaworld.com)--急，报错！！

... try { 22Process process = Runtime.getRuntime().exec("**cmd /C set**" + as_name);

相关下载: 浏览网上本帖子最新内容 Copyright **Java**开发者----www ...

www.chinajavaworld.com/bbsoffline/jinghuaforum36/841.html - 18k - [Cached](#) - [Similar pages](#)

Article ((xml ML))

... というのもあるように、**Java**では環境変数を調べられません

でした。 (getenv(String ... sp:shell> <sp:spawn> **cmd /c set** </sp:spawn> </sp ...

www.baykit.org/ml/xml/20021025/3292.html - 4k - [Cached](#) - [Similar pages](#)

Geocrawler.com - jython-dev - [Jython-dev] updated javaos.py

... _getOsType() could add '**java**' if os == "shell": os = None osType = _getOsType(

os) if osType == "nt": return _ShellEnv(["**cmd**", "**/c**", "**set**", string.upper ...

www.geocrawler.com/archives/3/7018/2001/11/50/7076517/ - 32k - [Cached](#) - [Similar pages](#)

www.mit.edu/afs/net/project/postgres/jakarta-ant-1.4.1/src/main/org/apache/tools/ant/taskdefs/Execute.java

... procEnvironment.addElement(var); } catch (java.io.IOException exc) { exc ... mechanism

as Windows 2000 // Not sure String[] cmd = {"**cmd**", "**/c**", "**set**" }; return cmd ...

27k - [Cached](#) - [Similar pages](#)

[Advanced Search](#)[Preferences](#)[Language Tools](#)[Search Tips](#)[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)Searched the web for **java "environmental variables"**.Results **11 - 20** of about **5,970**. Search took **0.11** seconds.

Laboratory Exercises For Computer Science 213

... Use this information about language design to explain the output in **Java**. ... `pev` prints all **environmental variables**, and; `setp` sets an environmental `PATH` variable ...

www.math.grin.edu/~walker/courses/213.fa00/lab-c-and-shell.html - 10k - [Cached](#) - [Similar pages](#)

Re: [globus-java] Please Help

... You can pass these **environmental variables** through `RSL` - just look at the documentation on the web. ... Dear all,. I wrote a **java** program to submit a job using `RSL`. ...

www-unix.globus.org/mail_archive/java/2002/09/msg00039.html - 5k - [Cached](#) - [Similar pages](#)

Sun Developer Network - Forums

... I am pretty new to **Java** web service. ... You can see a list of **environmental variables** and their values by typing `SET` from the DOS prompt and pressing `Enter`. ...

forum.java.sun.com/thread.jsp?thread=309251&forum=331&message=1240055 - 42k - [Cached](#) - [Similar pages](#)

AskAnywhere® Install Guide - [Setting JAVA_HOME and ...

... Select the **Environmental Variables** button. ... In the Variable Value field, type the name of the path to your JVM (eg, `C:\Program Files\Java`). Select `OK`. ...

www.senecio.com/askmanual/installguide/sethome.html - 6k - [Cached](#) - [Similar pages](#)

CGI Scripts by VerySimple: How to install Apache and Tomcat to ...

... In the **environmental variables**, make sure "`C:\JDK1.3\bin`" is the first directory in your `PATH`. If you have installed other **Java** programs, they may try to put ...

www.verysimple.com/scripts/support_tc_apache.html - 13k - Jul 9, 2003 - [Cached](#) - [Similar pages](#)

: Class EnvironmentNode

`java.lang.Object` | `+--issrg.pba.rbac.xmlpolicy.PolicyXMLNode` | `+--issrg.pba.rbac` ... represents an Environment node and evaluates the **environmental variables** at run ...

sec.isi.salford.ac.uk/permis/doc/issrg/pba/rbac/xmlpolicy/ifstatement/EnvironmentNode.html - 20k - [Cached](#) - [Similar pages](#)

: Class LDAPSavingUtility

... Environment - a `java.util.Map` with **environmental variables** there; the implementation is expected to get useful configuration information from there. load. ...

sec.isi.salford.ac.uk/permis/doc/issrg/pa/extensions/LDAPSavingUtility.html - 17k - [Cached](#) - [Similar pages](#)

[[More results from sec.isi.salford.ac.uk](#)]

AW: AW: [JPython] passing system properties to java

... want to get only the same **environmental variables**, you could do it also by patching `Jpython.bat`. eg if you want to access `PATH` you could do: `java -DPATH=%PATH` ...

mail.python.org/pipermail/jpython-interest/1999-September/002213.html - 11k - [Cached](#) - [Similar pages](#)

What things should I configure?

... 3.1 **Environmental Variables**. ... the following: `[emcnabb@grape emcnabb]$ echo $PATH` `/bin:/usr/bin:/usr/local/bin:/sbin:/usr/sbin:/usr/X11R6/bin:/usr/java/jdk1.3.1_01` ...

docs.cs.byu.edu/linux/bash/3.php - 10k - [Cached](#) - [Similar pages](#)

PDF Java Jump-Start

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The Default Classpath * If you do not specify `"-cp"` with **Java**, it uses the system classpath. * In Windows, type `"set"` to view all **environmental variables**. ...

www.cs.utexas.edu/users/oursland/cs315/Jump-Start.PDF - [Similar pages](#)



[Advanced Groups Search](#) [Preferences](#) [Groups Help](#)

"environmental variables in java"

Google Search

[Web](#) - [Images](#) - **Groups** - [Directory](#) - [News](#)
Related groups

[comp.lang.java.programmer](#)
[comp.lang.java.help](#)

Searched Groups for "**environmental variables in java**".

Results **1 - 3** of about **6**. Search took **1.67** seconds.

Sorted by relevance [Sort by date](#)

Re: ACCESSING ENVIRONMENTAL VARIABLES IN JAVA

On 17 Feb 1999 22:33:43 GMT, in Does anyone know how to access environmental variables using Java. There used to be a method ...

[comp.lang.java.programmer](#) - Feb 18, 1999 by Mr. Tines - [View Thread](#) (4 articles)

Q: getting environment variable in JAVA

Hi, I'm wondering if there is a way to get **environmental variables in JAVA**. I'm using jdk1.1.6, I tried 'java.lang.System.getenv ...

[comp.lang.java.help](#) - Feb 28, 2000 by Julie Wu - [View Thread](#) (1 article)

FAQ: Re: Q: getting environment variable in JAVA

... us.oracle.com> skrev i <Pine.GSO.4.05.10002281214330.1041-100000@ap103ses.us.oracle.com>:

I'm wondering if there is a way to get **environmental variables in JAVA** ...

[comp.lang.java.help](#) - Feb 28, 2000 by Tov Are Jacobsen - [View Thread](#) (1 article)

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

"environmental variables in java"

Google Search

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google